


ShieldAg Cropsaver Staggered Designs for Milo

The new staggered design for guards on 3" centers will still be in 3' lengths. For example, a 30' header will take 10 units. The new 3" cutting system will have 4 tabs instead of the normal 3, and 12 fingers instead of 6. This unit should fit any combine on the market with guards on 3" centers. There will be only two models, one for the 3" guard and one for the 4" guard. This should cover virtually all current guards. All will use the "Rock Guard Support Bar". These will be laser cut into the support bar which will make it always fit.

Guards on 3" Centers:

| Part # | Description | Retail Price |
|----------|--------------------|--------------|
| SACS-SPL | Short Plastic Part | \$20.60 |
| SACS-LPL | Long Plastic Part | \$21.33 |
| SACS-3S | Complete Unit | \$385.06 |




SACS-3S FOR ALL HEADERS WITH LONG GUARD POINTS ON 3" CENTERS

Cutting systems using the staggered finger design on 4" cutting systems (Draper and Flex) will use the same section, this section will be 2' in length. For example, 15 units are required to cover a 30' head, 18 units for a 35 or 36' head. These sections will have 3 tabs on the back, and 6 fingers. These units will also be using the "Rock Guard Support Bar".

Guards on 4" Centers:



| Part # | Description | Retail Price |
|----------|--------------------|--------------|
| SACS-SPL | Short Plastic Part | \$20.60 |
| SACS-LPL | Long Plastic Part | \$21.33 |
| SACS-4S | Complete Unit | \$274.50 |



SACS-4S FOR ALL DEERE HEADERS WITH LONG GUARD POINTS ON 4" CENTERS
REQUIRES
3 LONGER BOLTS PER SECTION
10mm X 50mm LONG



| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|----------|-------------|-----------------------------|------|
| 1 | SACS-3ADJ | FRAME WELDMENT | 1 |
| 2 | SACS-SPL | SHORT PLASTIC | 6 |
| 3 | SACS-LPL | LONG PLASTIC | 6 |
| 4 | ZK1-1 | 1/4 X 1" GR 5 CARRIAGE BOLT | 36 |
| 5 | LN1 | NYLOCK HEX NUT | 36 |
| 6 | SACS-ADJ1 | LOOP WELDMENT | 12 |





| REV. | BY | DATE | DESCRIPTION |
|------|----|------|-------------|
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |

TOLERANCE UNLESS OTHERWISE NOTED
0/0 +/- 1/32
0.00 +/- .020
0.000 +/- .005
0.0000 +/- .001
ANGLE +/- 1/2


SHIELD
AGRICULTURAL EQUIPMENT

DRAWN BY: **ALBRIGHT** DATE: **5/22/12**
CHECKED BY: **_** DATE: **_**

| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|----------|-------------|-----------------------------|------|
| 1 | SACS-4ADJ | FRAME WELDMENT | 1 |
| 2 | SACS-SPL | SHORT PLASTIC | 3 |
| 3 | SACS-LPL | LONG PLASTIC | 3 |
| 4 | ZK1-1 | 1/4 X 1" GR 5 CARRIAGE BOLT | 18 |
| 5 | LN1 | NYLOCK HEX NUT | 18 |
| 6 | SACS-ADJ1 | LOOP WELDMENT | 6 |



JOHN DEERE FLEX



JOHN DEERE DRAPER

| REV. | BY | DATE | DESCRIPTION |
|------|----|------|-------------|
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |

TOLERANCE UNLESS OTHERWISE NOTED
0/0 +/- 1/32
0.00 +/- .020
0.000 +/- .005
0.0000 +/- .001
ANGLE +/- 1/2

SHIELD
AGRICULTURAL EQUIPMENT


DRAWN BY: **ALBRIGHT** DATE: **5/22/12**
CHECKED BY: **_** DATE: **_**

| | | | | | | | |
|-------------|--|----------|-----------------|----------|----------------|------|-----------|
| DESCRIPTION | JD CROP SAVER 4" STAGGER FINGER | MATERIAL | ASSEMBLY | PART NO. | SACS-4S | REV. | NC |
|-------------|--|----------|-----------------|----------|----------------|------|-----------|

Original ShieldAg/Britten Crop Savers

STILL AVAILABLE

ShieldAg/Britten Crop Savers are manufactured in Kansas under U.S. Patent #5,105,610 and are designed for most popular makes and models of standard small grain headers, All Crop Savers come in 3' sections and have no moving parts. Plastic fingers are UHMW plastic with Sunlight Protection added.



Milo & Sunflower Crop Savers for standard small grain header with guard points on 3" centers


| Part # | Description | Weight Lbs | Retail Price |
|--------|---|------------|-----------------|
| MCS-PL | Replacement UHMW Plastic Milo Crop Saver Fingers <i>Purchase 6 fingers for each 3' section</i> | 1.0 | \$22.38 |
| MCS-1D | 3' Milo Crop Saver Assembly, includes fingers & finger hardware | 33.0 | \$276.70 |

Replacement hardware for new plastic finger installation

| Part # | Description | Weight Lbs | Retail Price |
|--------|---|------------|---------------|
| ZK1-1 | 1/4" x 1" Crop Saver Finger Bolt, two bolts required per finger | 0.09 | \$0.31 |
| LN1 | 1/4" Nylock Crop Saver Finger Nut, two nuts required per finger | 0.07 | \$0.26 |



| ITEM NO. | PART NUMBER | DESCRIPTION | QTY. |
|----------|-------------|----------------------------------|------|
| 1 | BMCS-RG1 | BRITTEN MILO CROP SAVER WELDMENT | 1 |
| 2 | MCS-PL | BRITTEN MILO CROP SAVER PLASTIC | 6 |
| 3 | ZK1-1 | 1/4-20 X 1" CARR BOLT GR 5 | 12 |
| 4 | LN-1 | 1/4" NYLOCK HEX NUT | 12 |



MCS-1D **NC**

| REV. | BY | DATE | DESCRIPTION |
|------|----|------|-------------|
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |
| - | - | - | - |

TOLERANCE UNLESS OTHERWISE NOTED
0/0 +/- 1/32
0.00 +/- .020
0.000 +/- .005
0.0000 +/- .001
ANGLE +/- 1/2

SHIELD
AGRICULTURAL EQUIPMENT

DRAWN BY: HURLBUT **DATE: 9/30/15**

CHECKED BY: _ **DATE: _**

DESCRIPTION **BRITTEN MILO CROPSAVER, STRAIGHT 3"** **MATERIAL** **WELDMENT** **PART NO.** **MCS-1D** **REV.** **NC**